BUILT-IN APPLIANCES

CANDY

CANDY BUILT-IN APPLIANCES DIVISION

New Chester Rd - Bromborough - Wirral - CH62 3PE
Telephone: 0151-334 2781 - Fax: 0151-334 9056
Website: www.candy-domestic.co.uk
A division of the Hoover Candy Group

08/11

CANDY
KNOWS HOW

TECHNICAL SPECIFICATIONS / DUO AND TRIO RANGE

	DUO AND TRIO	
Model	**DUO 609**	**TRIO 9503**
Product description	Oven dishwasher	Oven, hob, dishwasher
Finish	X	X
Hob		
4 gas burners		-
Flame failure device		-
One touch ignition		-
Enamelled pan supports		-
4 hi-light zones		•
Oven		
Multi-function oven	•	•
Grill	•	•
Timer	-	End of cooking
Number of glass door panels	2	2
Volume (litres)	39	39
Energy classification	A	A

	DUO AND TRIO	
	DUO 609	**TRIO 9503**
Dishwasher		
Number of IEC place settings	6	6
Number of programmes	6	5
Water consumption (litres - IEC)	9	9
Rapid programme (mins)	32	32
Anti-overflow device	•	•
Energy efficiency class	A	A
Wash efficiency class	A	A
Drying efficiency class	A	A
Dimensions		
Height (mm) with adjustable legs	835-900	850-920
Width (mm)	596	600
Depth (mm)	570	600

TECHNICAL SPECIFICATIONS / WARMING DRAWER

	WARMING DRAWER		
Model	**CPWD 140X**		
Keep warm programme	•	Max capacity	25kg
Pre-heating crockery	•	Max absorbed power	620W
Temp adjustable from 30-80ºC	•	**Dimensions**	
Anti-slip mat	•	Heigth (mm)	140
Illuminated on/off switch	•	Width (mm)	597
Telescopic pull-out drawer	•	Depth (mm)	525

TECHNICAL SPECIFICATIONS / WINE COOLERS

	WINE COOLERS								
Model	**CCVB 25T UK**	**CCVB 60 UK**	**CCVB 120**	**CCVB110**	**Model**	**CCVB 25T UK**	**CCVB 60 UK**	**CCVB 120**	**CCVB 110**
Width	15cm	30cm	60cm	60cm	Front Vent	•	•	•	•
Total gross capacity	20	57	120	110	Adjustable feet		•	•	•
Bottle storage capacity	7	12	35	24	Height (mm)	820-890	820-890	820-890	820-890
LED display with light	•	•	•	•	Width	150	295	597	597
Adjustable temperature control	8-22	4-18	4-18	4-18	Depth	553	553	550	550

Key: X - Stainless Steel NX - Black & Stainless Steel N - Black B - White GR - Grey GH - Charcoal

All Candy appliances come with a free five year's parts guarantee when you register your purchase.
What's more the comprehensive Candy After Sales Service Promise covers every eventuality.
So, in the unlikely event of a fault occurring there's no need to worry - we take care of everything.

5 YEAR PARTS FREE WHEN YOU REGISTER
GUARANTEE
1 YEAR LABOUR FREE

Candy Advice Line
08444 995599

Republic of Ireland
Telephone: (00353) 818 200021

UNI EN ISO

Group activities including all factories and the organisation structure are ISO 9001 accredited.
Candy's policy is one of continuous improvement, therefore we reserve the right to modify or alter specifications without prior notice. All products subject to availability.

THE CANDY PHILOSOPHY

A real understanding of consumer requirements is central to Candy's ongoing research and development programme. By anticipating changes in taste and lifestyle Candy has translated research results into unique appliance innovations, producing kitchen appliances that are efficient, technically advanced and beautifully styled. Developed for today's lifestyle these new appliances will co-ordinate perfectly with contemporary as well as the more traditional kitchen designs and all come with a guarantee of satisfaction from a company that has a reputation for taking care of its customers.

CONTENTS



OVENS

U•See ovens 8
Plan ovens 10
Gas Ovens 10
Classic Oven 10
Built-in warming drawer 11
Built-in Microwave ovens 11
Iron oven 12
Plan Light ovens 14
Plan Double ovens 16
Duo range 18
Trio range 20

HOBS

Plan gas hobs 24
Iron gas hobs 24
Classic gas hob 25
Plan gas hob 26
Gas hobs 27
Electric hob 27
Hi-light Ceramic hobs 28
Induction hobs 28
Domino hob 30

HOODS

Island hoods 34
Decor hoods 34
Plan decor hoods 35
Chimney hoods 36
Integrated hoods 37
Canopy hoods 37
Conventional hoods 37

DISHWASHERS

Fully integrated dishwashers 40

Semi Integrated Dishwasher 41

Fully integrated Slimline dishwasher 41

LAUNDRY

Fully integrated washer dryers 42

Fully integrated washing machines 42

REFRIGERATION

Side by side fridge freezer 46

Fully integrated fridge freezers 46

Fully integrated refrigeration 48

Built-in wine coolers 50

TECHNICAL SPECIFICATIONS

From page 51

CANDY

OVENS

Candy's Plan range which includes single and double ovens combines the attraction of simple styling with the quality of a great brand. It's flat front styling, clean-cut lines and careful positioning of controls are in line with the latest trends in cooking design.

Energy Efficient

Candy Ovens offer outstanding performance as some are now rated A -20%.

NEW OVEN DOOR DESIGN

Candy single ovens have a new full glass oven door for easy cleaning and a larger glass window for improved visibility.

SAFETY SHELF SYSTEM

The oven walls feature specially designed grooves that allow the shelves to slide more easily. The grooves also prevent the shelves from being pulled out completely.



A CLASS CLEAN SYSTEM

The new A Class Enamel, smooth as glass, is completely water and dirt repellent. Its ultra smooth surface prevents dirt from adhering to the surface, and withstands corrosion from high sugar-content foodstuffs.

U·SEE OVENS

U·SEE

Candy's innovative U·see technology combines outstanding performance with exceptionally low energy consumption. Fourteen ultra white lights on the oven door perimeter illuminate the whole cavity, providing perfect visibility throughout the entire oven. Usee ovens range from A-20 to A rated for energy efficiency and the LED lights use only 1kw of electricity compared to conventional oven lights that consume between 20wh -50wh.

U·SEE

FVH 929 XL
MULTI-FUNCTION OVEN

11 functions including ucook > multi-function oven > variable grill > **14 U.see LED Lights** > touch display > push pull controls > defrost function > pizza function > conventional cooking > fan cooking > integral fan cooling system > A class enamel - easy to clean oven interior > double glazed door > telescopic shelves > 53 litre capacity > energy class A-20

stainless steel .....FVH 929 XL



FVP 729 X
MULTI-FUNCTION OVEN

8 functions including soft cook > multi-function oven > variable grill > **14 U·see LED Lights** > defrost function > conventional cooking > fan cooking > pizza function > A class enamel - easy to clean oven interior > safety shelf system > 2 shelves > 1 roasting tray / baking tray > double glazed door > 53 litre capacity > flat glass inner door > energy class A

stainless steel .....FVP 729 X



FVP 702/1X
MULTI-FUNCTION OVEN

8 functions including soft cook > multi-function oven > variable grill > **14 U·see LED Lights** > defrost function > conventional cooking > fan cooking > pizza function > A class enamel - easy to clean oven interior > safety shelf system > 2 shelves > 1 roasting tray / baking tray > double glazed door > 53 litre capacity > flat glass inner door > energy class A

stainless steel .....FVP 702/1X



OVENS / PLAN RANGE

FFN 403 X
FAN OVEN

fan cooking › grill › end of cooking timer › **integral fan cooling system** › oven light › A class enamel - easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › double glazed door › 53 litre capacity › energy class A

stainless steel .....FFN 403 X



OVENS / GAS OVEN

OVG 505
GAS OVEN

Minute minder › traditional gas cooking › gas grill › fan cooled fascia and door › **electronic ignition for both oven and grill** › oven light › 2 shelves › 1 grill pan › double glazed door › 50 litre capacity

stainless steel .....OVG 505/2X
black .....OVG 505/2N
white .....OVG 505/2W



OVENS / CLASSIC OVEN

FCL 614/1GH
MULTI-FUNCTION OVEN

8 functions › variable grill › defrost function › conventional cooking › fan cooking › analogue clock › A class enamel - easy to clean oven interior › 2 shelves › 1 roasting tray/baking tray › integral fan cooling system › oven light › 53 litre capacity › energy class A

charcoal .....FCL 614/1GH



COMBINATION OVEN, MICROWAVE AND GRILL

MIC 440 TX
COMBINATION OVEN, MICROWAVE AND GRILL

Electronic touch control › LED Clock/Programmer › 8 cooking combinations - conventional cooking, fan cooking, microwave cooking and grilling › 13 automatic menus › 2 defrost functions › stainless steel cavity › 44 litre volume › 36cm diameter turntable › microwave power rating 900 W › grill power rating 1750 W › 5 power levels 150-900 W



stainless steel .....MIC 440 TX

COMBINATION MICROWAVE OVEN AND GRILL

MIC 20 GDFX
COMBINATION MICROWAVE OVEN AND GRILL

5 power levels › 3 cooking combinations › microwave plus grill › microwave only › grill only › **electronic controls** › 8 automatic cooking functions › stainless steel interior › 24.5cm diameter glass turntable › 20 litre capacity › microwave power rating 800 W › grill power rating 1000 W



stainless steel .....MIC20 GDFX

WARMING DRAWER / WARMING DRAWER

CPWD140X
BUILT-IN WARMING DRAWER

Programmes : keep warm function, pre-heating crockery › temperature freely adjustable from 30ºC to 80ºC › stainless steel finish › anti slip mat › illuminated on/off switch › telescopic full-depth pull-out drawer › max capacity 25kg › max absorbed power 620W › external dimensions H141 x W595 x D525



stainless steel CPWD140X

12:25

OVENS / IRON RANGE

FIR 715X
IRON MULTI-FUNCTION OVEN

11 functions including **4 U-Cook functions** › electronic LED programmer › defrost function › variable grill › conventional cooking › fan cooking › **integral fan cooling system** › oven light › A class enamel-easy to clean oven interior › double glazed door › 53 litre capacity › energy class A



stainless steel FIR715X

Ucook

Controls & maintains humidity in the oven and helps retain the moisture content of even the most delicate pastries.

Rapid reduction of oven pre-heating times 0°C - 200°C in only 8 minutes!

Increases power by 50% compared to a standard grill.

Automaticallly adjusts fan speed to optimise air flow and oven temperature.

VarioFan

Automatically adjusts fan speed to optimise air flow and oven temperature for perfect cooking results.

OVENS / PLAN LIGHT RANGE

FPP 678/1X
PYROLYTIC OVEN

8 functions › **multi-function oven** › electronic programmer › variable grill › fan cooking › Pyrolytic cleaning - 3 cycles › defrost function › oven light › integral fan cooling system › safety shelf system › 2 shelves › 1 roasting tray/grill pan › quadruple glazed door › 53 litre capacity › energy class A

Pyrolytic Cycle
An automatic self cleaning system uses intense heat (500°C) to burn off stubborn grease and food residues from the oven interior.

stainless steel .....FPP 678/1X



FPP 629 XL
MULTI-FUNCTION OVEN

7 functions › multi-function oven › electronic programmer › variable grill › fan cooking › pizza program › defrost function › push pull controls › **integral fan cooling system** › oven light › A class enamel – easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › 53 litre capacity › energy class A

stainless steel .....FPP 629 XL



FPP 609X
MULTI-FUNCTION OVEN

7 functions › multi-function oven › electronic programmer › variable grill › fan cooking › pizza function › defrost function › **integral fan cooling system** › oven light › A class enamel – easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › 53 litre capacity › energy class A

stainless steel .....FPP 609X



OVENS / PLAN LIGHT RANGE

FPP 407/1
FAN OVEN

Electronic LED Programmer › fan cooking › fan grilling › variable grill › defrost function › integral fan cooling system › A class clean enamel - easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › oven light › double glazed door › 53 litre capacity › energy class A -10%

stainless steel .....FPP 407/1X
black .....FPP 407/1N
white .....FPP 407/W



FPP 403/1
FAN OVEN

End of cooking timer › fan cooking › fan grilling › variable grill › defrost function › integral fan cooling system › A class clean enamel - easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › oven light › double glazed door › 53 litre capacity › energy class A -10%

stainless steel .....FPP 403/1X
black .....FPP 403/1N
white .....FPP 403/1W



FST 201/1
STATIC OVEN

3 functions › dual zone grill › defrost function › oven light › A class enamel – easy to clean oven interior › safety shelf system › 2 shelves › 1 roasting tray/grill pan › double glazed door › 53 litre capacity › energy class A

stainless steel .....FST 201/1X
black .....FST 201/1N
white .....FST 201/1W



CANDY
CANDY

DOUBLE OVENS / PLAN RANGE

FDP 299/2

BUILT-IN MULTI-FUNCTION DOUBLE OVEN

Plan styling › **Bottom oven:** multi-function › electronic programmer › pizza function › grill › glass fascia panel (black only) › catalytic liners › oven light › double glazed oven door › 1 shelf and 1 grill pan › 49 litre capacity › energy class B › **Conventional Top oven** › variable grill › oven light › double glazed oven door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A

stainless steel .....FDP 299/2 X

black/stainless steel* .....FDP 299/2 NX

*stainless steel knobs & handles only



FDP 232/2

BUILT-IN FAN DOUBLE OVEN

Plan styling › **Bottom oven:** fan › electronic programmer › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 54 litre capacity › energy class B › **Conventional Top oven** › variable grill › oven light › double glazed oven door › 39 litre capacity › energy class A

stainless steel .....FDP 232/2 X



TCP 22/2

BUILT-UNDER FAN DOUBLE OVEN

Plan styling › **Bottom oven:** fan › electronic programmer › "easy to clean" enamel interior › oven light › double glazed oven door › 1 shelf and 1 grill pan › 43 litre capacity › energy class B › **Conventional Top oven** › variable grill › oven light › double glazed oven door › 1 shelf and 1 grill pan › 39 litre capacity › energy class A

stainless steel .....TCP 22/2 X



°C
60
80
100
120
140
160
180
200
220
240
F
CANDY

Duo

DUO

Advanced technology with a practical design in one unique solution.

Introducing a multi-function oven and a 6 place setting dishwasher that fits perfectly into a 60cm space.

DUO 609 X

COMBINED OVEN AND DISHWASHER

Oven specification

Multi-function electric oven and grill › 39 litre capacity › oven light › touch controls › 5 functions › double glazed door › energy class A

Dishwasher specification

6 IEC place settings › **6 programmes** › 5 wash temperatures › 32 minute rapid programme › **Eco bio 45°C programme** › delicates programme › water consumption 9 litres › energy efficiency class A



stainless steel .....DUO 609 X

Electric multi-function oven

Ceramic hob

6 place-setting dishwasher

TRIO - The big solution for small kitchens - combined oven, hob and dishwasher in a 60cm space.

Introducing a combination oven, hob and dishwasher that makes the most of limited space. With smart technology, smart design and unrivalled flexibility, the Trio offers a whole new dimension in kitchen design.

COMBINED OVENS / TRIO RANGE

TRIO 9503 X

COMBINED OVEN, CERAMIC HOB AND DISHWASHER

Ceramic Hob Specification: 4 hi-light zones › **Oven Specification:** multi-function electric oven and grill › oven interior light › 39 litre oven capacity › end of cooking timer › double glazed door › energy class A › **Dishwasher Specification:** 6 IEC place settings › 5 programmes › 32 minute rapid programme › Anti-overflow device › Water consumption 9 litres › energy efficiency class A › wash efficiency class A › drying efficiency class A › **dimensions** › height mm 850-920 (adjustable feet) › width mm 600 › depth mm 600

Optional matching stainless steel 60cm splashback PM60X and 60cm chimney hood CCT67X

stainless steel .....TRIO 9503 X

CANDY

HOBS

A sleekly designed and solidly built range of 60cm and 75cm hobs include gas hobs with practical features that include quadruple ring burners and state of the art ceramic models that combine touch control with hi-light rapid response sprinter technology.



Induction Hob Efficiency

Induction hobs utilise Electromagnetic technology so that when a pan is placed on the induction heating zone it completes a magnetic circuit below the hob surface, causing only the contents of the pan to heat. It heats up a half litre of water in less than half the time and the surface temperature only reaches 81ºC compared to a normal electric hob which can reach up to 410ºC. Induction hobs are faster, more energy efficient and more controllable. It is also the safest type of hob, particularly if there are children present, as it will only heat up when the saucepan is placed on the hob.

Low Absorption Induction Hob

Using less than half the energy of normal induction hobs, the Candy CI 640 CBA low absorption hob comes complete with a 13 amp plug fitted, reducing the need for costly installation.

FLAME FAILURE DEVICE

In the event of the flame being extinguished accidentally a thermocouple device will automatically cut-off the gas supply.

AUTOMATIC IGNITION

Central control panels make it easier to reach and use the control knobs.
Electronic ignition control is integrated in the control knobs, to allow single handed operation; the raised and inclined panel avoids overheating.

INDUCTION HOBS

Induction hobs operate at 90% efficiency and are more environmentally friendly than any other hob, consuming half the electricity of the next most efficienct hob and one third the energy of an electric sealed plate hob.

HOBS 75CM / PLAN RANGE

CPG 75 SQPX
75CM GAS HOB

5 gas burners › **one touch ignition** › enamelled pan supports › 1 quadruple ring burner 4 kW › 2 rapid burners 2.5 kW › 1 semi-rapid burner 1.75 kW › 1 auxiliary burner 1 kW › single piece hob plate › flame failure device

CPG 75 SQGX available with cast iron pan supports (not shown)

PG 750 SXX as shown - all stainless steel finish with large central burner





stainless steel .....CPG 75 SQPX
stainless steel .....CPG 75 SQGX
all stainless steel PG750/1SXINT

GAS HOBS / IRON RANGE

PGF750/1SQX
75CM GAS HOB

5 gas burners › one touch ignition › cast iron pan supports › 1 quadruple ring burner 3.5kW › 2 rapid burners 2.5kW › 1 semi rapid burner 1.75kW › 1 auxiliary burner 1.0kW › flame failure device

stainless steel PGF750/1SQX



PGF640/1
60CM GAS HOB

4 gas burners › one touch ignition › 1 ultra rapid burner 3.3kW › 1 rapid burner 2.5kW › 1 semi rapid burner 1.75kW › 1 auxiliary burner 1.0kW › flame failure device › cast iron pan supports



stainless steel .....PGF 640/1SX

HOBS 75CM / PLAN RANGE

CPG 74 SQGX
75CM PLAN HOB

4 gas burners › one touch ignition › cast iron pan supports › flame failure device › 1 quadruple ring burner 4kW › 1 rapid burner 2.5kW › 1 semi-rapid burner 1.75kW › 1 auxillary burner 1kW

stainless steel .....CPG 74 SQGX



HOBS 75CM / PLAN RANGE

PV 750 SX
75CM PLAN HOB

5 gas burners › **one touch ignition** › 5 enamelled pan supports › flame failure device › 1 quadruple ring burner 3.5 kW › 2 rapid burners 2.5 kW › 2 semi-rapid burners 1.75 kW

stainless steel .....PV 750 SX



GAS HOBS / CLASSIC RANGE

CPGC 64 SQPGH
60CM GAS HOB

4 gas burners › **one touch ignition** › 1 quadruple burner 4.0 kW › 1 rapid burner 2.7 kW › 1 semi-rapid burner 1.7 kW › 1 auxillary burner 1kW › flame failure device › cast iron pan supports

charcoal .....CPGC 64 SQPGH



HOBS 60CM / PLAN RANGE

PG640/1SXXINT
60CM GAS HOB

4 gas burners › **one touch ignition** › 1 ultra rapid burner 3.5kW › 1 rapid burner 2.5kW › 1 semi-rapid burner 1.75kW › 1 auxiliary burner 1kW › flame failure device › 2 stainless steel pan supports › single cast hob plate



all stainless steel PG640/1SXXINT

CPG 64 SXX
60CM GAS HOB

4 gas burners › one touch ignition › 1 ultra rapid burner 3.5kW › 1 rapid burner 2.5 kW › 1 semi-rapid burner 1.75kW › 1 auxiliary burner 1kW › flame failure device › 2 stainless steel pan supports › single cast hob plate



all stainless steel .....CPG 64 SXX
Available Autumn 2011

CPG 64SP
60CM GAS HOB

4 gas burners › **one touch ignition ›** flame failure device › 1 ultra rapid burner 3.5 kW › 1 rapid burner 2.5 kW › 1 semi-rapid burner 1.75 kW › 1 auxiliary burner 1kW › 2 enamelled pan supports › single cast hob plate



stainless steel .....CPG 64SPX
black .....CPG 64SPN
white .....CPG 64SPB

HOBS 60CM / GAS HOBS

PV 640 SN
60CM DELUXE GAS GLASS HOB

High precision control knobs › **one touch ignition** › flame failure device › 4 gas burners › 2 rapid burners 2.5 kW › 2 semi-rapid burners 1.75 kW › 4 enamelled pan supports



black .....PV 640 SN

CLG 64 SP
GAS HOB

4 gas burners › one touch ignition › flame failure device › 1 rapid burner 2.7 kW › 2 semi-rapid burners 1.7 kW › 1 auxiliary burner 1.0 kW › 2 enamelled pan supports



stainless steel .....CLG 64 SPX
black .....CLG 64 SPN
white .....CLG 64 SPB
stainless steel .....CLG 64 SGX
with cast iron pan supports

HOBS 60CM / ELECTRIC HOBS

PLE 64
60CM ELECTRIC HOB

High precision controls › 4 solid electric rapid hot plates › 2 hotplates Ø 180 mm 2.0 kW › 2 hotplates Ø 145 mm 1.5 kW › single-cast hob plate



stainless steel .....PLE 64 X
black .....PLE 64 N
white .....PLE 64 W

HOBS / HI-LIGHT SPRINTER CERAMIC

PVD 742/1
75CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › end of cooking timer on a cooking area of your choice › extendable rear-right element › **4 hi-light rapid sprinter cooking zones** › 1 hi-light zone Ø 190mm 1.8kW › 1 hi-light extendable double zone Ø 155/190mm 1.8kw › 1 hi-light extendable double Ø 180/275mm 0.9+1.5kW › 1 hi-light zone Ø 155mm 1.2kW › easy to clean cooking surface › child safety lock

stainless steel (trim only) .....PVD 742/1X
black (no trim) .....PVD 742/1N



CH 642
60CM TOUCH CONTROL HI-LIGHT CERAMIC HOB

Digital touch controls › end of cooking timer on a cooking area of your choice › easy to clean cooking surface › **4 hi-light rapid sprinter cooking zones** › 1 hi-light zone Ø 155mm 1.2kW › 1 hi-light double zone Ø 130/220mm .75 + 1.45kW › 2 hi-light zones Ø 190mm 1.8kW › child safety lock

stainless steel (front trim only) .....CH 642X
black (bevelled front edge) .....CH 642B



HOBS / INDUCTION HOB

CI 640 CBA
60CM INDUCTION HOB - LOW ABSORPTION

Digital touch controls › timer on each zone › digital clock › **4 induction zones including 1 booster zone** › 1 zone Ø 210mm 2-2.6kw › 1 zone Ø 180mm 2.0kw › 2 zones Ø 180mm 1.4kw › easy to clean cooking surface › child safety lock › fitted with a 13 amp plug

black (no trim) .....CI 640 CBA



HOBS / INDUCTION HOB

CI 640 C

60CM INDUCTION HOB

Digital touch controls › timer on each zone › digital clock › **4 induction zones** › 1 zone Ø 210mm 2kW › 1 zone Ø 180mm 2kW › 2 zones Ø 180mm 1.4kW › child safety lock

black .....CI 640 C



HOBS / HI-LIGHT CERAMIC

CH 64M

60CM HI-LIGHT CERAMIC HOB

Traditional high precision control knobs › 4 heat-on warning lights › easy to clean surface › **4 hi-light rapid sprinter cooking zones** › 1 hi-Light zone Ø 220mm 2.3 kW › 1 hi-light zone Ø 190mm 1.8 kW › 2 hi-light zones Ø 155mm 1.2 kW

stainless steel (front trim only) ..... CH 64MX

black (bevelled front edge) .....CH 64MB



HOBS / DOMINO HOBS

CDG 31 SPX
GAS HOB

1 gas wok burner 3.8kW › flame failure device › enamel pan support › one touch ignition

stainless steel ..... CDG 31 SPX



CDG 32 SPX
GAS HOB

2 gas burners › flame failure device › 1 ultra rapid burner 3.0kW › 1 auxiliary burner 1.0kW › one touch ignition › enamel pan support

stainless steel .....CDG 32SPX



CDH 32 X
CERAMIC HOB

2 cooking zones › 1 zone 180mm 1.8kW › 1 zone 140mm 1.2kW › easy to clean surface

stainless steel ..... CDH 32 X



CDI 32 B
INDUCTION HOB

Digital touch controls › 2 heat-on warning lights › easy to clean surface › 2 induction zones including 1 with booster › cooking timer

Also available is a Ceramic Hob - CDH 32C with digital touch control › 2 cooking zones › 1 zone 180mm 1.8kW › 1 zone 140mm 1.2kW › cooking timer › child safety lock.

black (bevelled edge) ..... CDI 32B

black (bevelled edge) ..... CDH 32C



HOBS / DOMINO HOBS

CDE 32 X
ELECTRIC HOB

1 hotplate 180mm 1.5kW › 1 hotplate 145mm 1.5kW › 1 rapid zone › high precision control knobs

stainless steel ..... CDE 32X



CDVG 30 X
GRIDDLE

Residual heat indicator › cooking zone 250x400mm 1.5kW › high precision control knob

stainless steel .....CDVG 30X





CDB 30 X
BBQ

Cooking area 220x320mm 2.4kW › enamel support › adjustable temperature control

stainless steel ..... CDB 30X



CDF 30 X
FRYER

Deep fat fryer › cooking basket › lid › adjustable temperature control

stainless steel ..... CDF 30 X



CANDY

HOODS

Candy's hoods whether chimney or decor style, in futuristic or more traditional design, incorporate the very latest electronic touch control technology. They offer great performance, high extraction rates, low noise levels and bright halogen hob and work surface illumination.

HALOGEN LIGHTS

Illuminate the hob with bright halogen lights - improving the whole cooking experience.

DECOR HOODS

Candy combines glass and stainless steel to enhance the overall impact of your kitchen.

EXTRACTION RATES

Candy hoods are amongst the quietest and most efficient available capable of removing most cooking odours effortlessly.

DECOR HOODS / ISLAND TUBE HOOD

CIDT 61 X
40CM ISLAND TUBE HOOD

Motor 250 W › Extraction flow rate 740 m³/h › 4 speeds operated by electronic touch controls › 2 halogen lights › perimeter filteration

stainless steel .....CIDT 61 X



DECOR HOODS / ISLAND CUBE HOOD

CIDC 61 X
70CM ISLAND TUBE HOOD

Motor 250 W › extraction flow rate 740 m³/h › electronic touch controls › 4 halogen lights › perimeter filteration

stainless steel .....CIDC 61 X



DECOR HOODS / TUBE HOOD

CDT 61 X
40CM TUBE DECOR HOOD

Motor 250 W › Extraction flow rate 550 m³/h › 4 speeds operated by electronic touch controls › 2 halogen lights › filter saturation indicator › perimeter filteration › Convertible: extraction or recirculation › Charcoal filter optional extra

stainless steel .....CDT 61 X



DECOR HOODS / CUBE HOOD

CDC 61 X
60CM CUBE DECOR HOOD

Motor 250 W › extraction flow rate 740 m³/h › 3 speeds operated by push button controls › 2 halogen lights › filter saturation indicator › perimeter filteration › Convertible: extraction or recirculation › Charcoal filter optional extra

stainless steel .....CDC 61X



DECOR HOODS / PLAN RANGE

CMB 90 X
90CM HOOD

Turbo motor 150 W › extraction flow rate 370 m³/h › 3 speeds operated by push button controls › 2 lights › convertible: extraction or recirculation › washable metal grease filter › optional charcoal filters

stainless steel .....CMB 90 X



DECOR HOODS / PLAN RANGE

CMB 60 X
60CM HOOD

Turbo motor 150 W › extraction flow rate 370 m³/h › 3 speeds operated by push button controls › 2 lights › convertible: extraction or recirculation › washable metal grease filter › optional charcoal filters

stainless steel .....CMB 60 X



DECOR HOODS

CVM 95 X
90CM DECOR HOOD

Turbo motor 230 W › extraction flow rate 550 m³/h › 3 speeds operated by push button controls › 2 halogen lights › convertible: extraction or recirculation › washable metal grease filter › optional charcoal filter

stainless steel .....CVM 95 X



DECOR HOODS

CRD 93 X
90CM ROUND DECOR HOOD

Turbo motor 230 W › extraction flow rate 550 m³/h › 3 speeds operated by push button controls › 2 lights › convertible: extraction or recirculation › washable metal grease filter › charcoal filters

stainless steel .....CRD 93 X



DECOR HOODS

CCR 616 X
60CM ROUND DECOR HOOD

Turbo motor 150 W › extraction flow rate 450 m³/h › 3 speeds operated by slider controls › 2 lights › convertible: extraction or recirculation › washable metal grease filter › optional charcoal filter

stainless steel .....CCR 616 X

DECOR HOODS

CGM 91 / CGM 61
90 & 60CM GLASS DECOR HOOD

Turbo motor 150 W › extraction flow rate 450 m³/h › 3 speeds operated by push button control › tempered safety glass › 2 halogen lights › convertible: extraction or recirculation › washable metal grease filter.

Also available in 60cm - CGM 61X

stainless steel .....CGM 91 X
stainless steel .....CGM 61 X



CHIMNEY HOODS

CCT 97 / CCT 67
90 & 60CM CHIMNEY HOODS

Turbo motor 230W › extraction flow rate 550m³/h › 3 speeds operated by push button controls › 2 halogen lights › convertible: extraction or recirculation › washable metal grease filters › charcoal filters

Also available in 60cm - CCT 67

stainless steel .....CCT 97 X
stainless steel .....CCT 67 X
black .....CCT 67 N
white .....CCT 67 W



INTEGRATED HOODS

CBP 612
60CM WIDE

Motor 100W › extraction flow rate 230m³/h › 3 speeds › 1 x 40W bulb › convertible: extraction or recirculating › acrylic filter

grey .....CBP 612 GR
black .....CBP 612 N
white .....CBP 612 W



CANOPY HOODS

CBG 61
60CM WIDE

Motor 100W › extraction flow rate 180m³/h › 3 speeds operated by slider › 1 x 40W bulb › convertible: extraction or recirculation › acrylic filter

silver .....CBG 61 X
black .....CBG 61 N
white .....CBG 61 W



CONVENTIONAL HOODS

CFT 610
60CM WIDE

Motor 120W › extraction flow rate 240m³/h › 3 speeds › slider controls › 1 x 40W bulb › convertible extraction or recirculation › acrylic filter

silver .....CFT 610S
black .....CFT 610N
white .....CFT 610W



CDI 22E 10
Eco 10
9h
6h
3h
P5
P4
P3
P2
P1
P1
P2
P3
P4
P5
CANDY

DISHWASHERS & HOME LAUNDRY

Candy's integrated laundry and dishwashers are an ingenious blend of styling and technology, offering an outstanding performance, they are extremely efficient and are exceedingly quiet.

Home Laundry

Large Load Capacity - The Candy CDB 754 integrated washer dryer is capable of handling a 7kg wash & 5kg dry load, perfect for busy families.

Dishwashers

The Eco CDI 22E10 dishwasher uses just 10 litres to wash a full load. The water is filtered and recirculated over 7,800 times to ensure an A rated wash performance, whilst maximising water usage.

The Candy CDI 3530 dishwasher features a combination of 3 baskets and 14 place settings and provides additional valuable loading space in the top basket. The top basket is perfect for small coffee cups, saucers, side plates and cooking utensils.

All Candy full size dishwashers are triple A rated for energy efficiency, wash and drying performance.

TIME SAVING WASHING MACHINE

The CDB 754 is perfect for busy people - a 59 minute programme means that you can wash and dry 3 garments in under an hour, perfect for those forgotten items.

SELF-CLEANING FILTER

Self-cleaning stainless steel filter: the stainless steel microfilter in Candy dishwashers keeps water constantly clean for maximum wash efficiency and an end of cycle jet of water expels any impurities trapped in the filter.



ADJUSTABLE BASKETS

Adjustable Baskets: the upper basket in Candy dishwashers are height adjustable and have a range of between 21 and 26 cm, giving the lower basket a range of between 26 and 31 cm.

FULLY INTEGRATED DISHWASHERS

CDI 3530-80
FULLY INTEGRATED DISHWASHER

14 IEC place settings › 3 baskets › 5 programmes › 4 wash temperatures › 32 minute rapid programme › programme selection by button › half load button › adjustable upper basket › front access levelling facility › 3-6-9 hrs start delay LED › salt consumption light › balanced door › self-cleaning micro filter › energy efficiency class A › wash efficiency class A › drying efficiency class A



CDI 22E10/3
FULLY INTEGRATED DISHWASHER

10 litre water consumption › 12 IEC place settings › 5 programmes › 4 wash temperatures › 32 minute rapid programme › programme selection by button › half load button › adjustable upper basket › front access levelling facility › delay start LED › salt consumption light › balanced door › self-cleaning stainless steel micro filter › energy efficiency class A › wash efficiency class A › drying efficiency class A



CDI 1012/3-80
FULLY INTEGRATED DISHWASHER

12 place settings › 5 programmes › 4 wash temperatures › 32 minute rapid programme › water softener settings › balanced door › adjustable upper basket › self-cleaning stainless steel micro filter › energy efficiency class A › wash efficiency class A › drying efficiency class A



INTEGRATED DISHWASHER

CDS 420

INTEGRATED DISHWASHER

12 place settings › **5 programmes** › **5 wash temperatures** › **32 minute rapid programme** › adjustable upper basket › self-cleaning stainless steel micro filter › half load button › balanced door › salt indicator light › energy efficiency class A › wash efficiency class A › drying efficiency class A

stainless steel fascia .....CDS 420X
black fascia .....CDS 420N
white fascia .....CDS 420W



FULLY INTEGRATED SLIMLINE DISHWASHER

CDI 4545

45CM FULLY INTEGRATED DISHWASHER

9 IEC place settings › LED digital display › 7 programmes › 4 wash temperatures › adjustable upper basket › 24 hour start delay › programme selection button › intensive wash programme › rapid programme › energy efficiency class A › washing efficiency class A › drying efficiency class A

white .....CDI 4545



FULLY INTEGRATED WASHER DRYER

CDB 754D/1-80
FULLY INTEGRATED WASHER DRYER

1400 r.p.m. › **7kg wash and 5kg drying capacity** › stainless steel drum assembly › 14 wash programmes **Fuzzy Logic** › start delay (up to 23 hours) › LED display › digital countdown indicator › rapid 14, 30 & 44 minute programme › half load option › mixed wash programme › delicates/ hand wash programme › stain buster button › allergy care button › automatic variable capacity › **3 dry programmes** › high dry button › self cleaning filter › cold fill only › adjustable feet › energy efficiency class A



☐ white .....CDB 754/1D-80

FULLY INTEGRATED WASHING MACHINE

CWB 714D-80
FULLY INTEGRATED WASHING MACHINE

1400 r.p.m. › **7kg wash capacity** › **stainless steel drum assembly** › 13 programmes › rapid 14, 30 & 44 minute programmes › LED display › digital countdown indicator › start delay (up to 23 hours) › half load option › fuzzy logic › pre-wash programmes › mixed wash programme › delicate/ hand wash programme › stain buster button › easy iron button › allergy care button › automatic variable capacity › self cleaning filter › cold fill only › adjustable feet › energy efficiency class A+



☐ white .....CWB 714D-80

FULLY INTEGRATED WASHER DRYER

CDB 264-80

FULLY INTEGRATED WASHER DRYER

1200 r.p.m. › 6kg wash and 4kg drying capacity › stainless steel drum assembly › 18 wash programmes › 32 minute wash programme › 3 drying programmes › fuzzy logic › start delay (up to 9 hours) › automatic variable capacity › variable thermostat › stain buster button › high dry button › drying time selection control › oval tub › self cleaning filter › crease free final cool tumble › cold fill only › fast iron button › cupboard dry ironing › adjustable feet › energy efficiency class B

☐ white .....CDB 264-80



FULLY INTEGRATED WASHING MACHINE

CWB 1206-80

FULLY INTEGRATED WASHING MACHINE

1200 r.p.m. › 6kg wash capacity › stainless steel drum assembly › 15 programmes › 32 minute wash programme › start delay (up to 9 hours) › fuzzy logic › pre-wash programme › half load option › automatic variable capacity › variable thermostat › variable spin speed from 0-1200r.p.m. › extra rinse button › allergy care button › easy iron button › oval tub › self cleaning filter › cold fill only › adjustable feet › energy efficiency class A+

☐ white .....CWB 1206-80



REFRIGERATION

From modern compact fridges to large capacity fridge freezers our integrated appliances will co-ordinate with any kitchen setting. Whether it's frost free technology or simply an extra large integrated fridge you require we have a range of innovative cooling products to suit every requirement.

Energy Efficiency

All Candy refrigeration are A rated for energy efficiency.

Candy Frost Free Fridge Freezers prevent frost formation in the freezer section, which means never having to defrost the freezer.

MAINTAINS CONSTANT TEMPERATURE

Candy's 'turbo cooling' feature ensures even temperature distribution throughout the refrigerator.

VERSATILE STORAGE SOLUTIONS

Adjustable shelving allows large or bulky items to be stored safely.

GLASS SHELVING

Easy care glass shelving ensures maximum hygiene.

FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CXS 7204A
FROST FREE SIDE BY SIDE FRIDGE FREEZER

Freezer rating. **** › total net capacity 558 litres (19.7 cu.ft) › net refrigerator capacity 348 litres (12.3 cu.ft) › net freezer capacity 210 litres (7.4 cu.ft) electronic control › energy efficiency class A › climate class N-ST › dimensions H x W x D 1757 x 892 x 736 mm

Refrigerator

4 adjustable glass shelves › 5 door shelves › 3 pull out refrigerator drawers (2 with humidity control) › dairy compartment

Freezer

3 glass shelves › 6 door shelves › 2 transparent freezer drawers › freezing capacity 10kg

silver .....CXS 7204A



CFBC 3150A UK
FRIDGE FREEZER

Freezer rating. **** › total gross capacity 281 litres (9.9 cu.ft) › net refrigerator 203 litres (7.2 cu.ft) › net freezer capacity 60 litres (2.1 cu.ft) › 24hr freezer capacity 4kg › climate class N/ST › energy efficiency class A › glass shelves › automatic defrosting (fridge) › reversible doors › **housing dimensions** › height mm 1772÷1776 › width mm 560 › depth mm 550



FULLY INTEGRATED FRIDGE FREEZER / REFRIGERATION

CFBC 3050 K
FRIDGE FREEZER

Freezer rating. **** › total gross capacity 263 litres (9.3 cu.ft) › net refrigerator capacity 156 litres (5.5 cu.ft) › net freezer capacity 86 litres (3.0 cu.ft) › 24 hr freezing capacity 3 kg › climate class N › energy efficiency class A › glass shelves › automatic defrosting (fridge) › reversible doors › **housing dimensions** › height mm 1772-1776 › width mm 560 › depth mm 550



CFBF 3050 K
FROST FREE FRIDGE FREEZER

Freezer rating. **** › Frost Free › total gross capacity 255 litres (9.0 cu.ft) › net refrigerator capacity 156 litres (5.5 cu.ft) › net freezer capacity 78 litres (2.7 cu.ft) › 24 hr freezing capacity 3 kg › climate class N › energy efficiency class A › glass shelves › reversible doors › **housing dimensions** › height mm 1772-1776 › width mm 560 › depth mm 550



FULLY INTEGRATED FRIDGE / REFRIGERATION

CIO 225/1 AG
REFRIGERATOR

Freezer rating. **** › total gross capacity 195 litres (6.9 cu.ft) › net refrigerator capacity 175 litres (6.2 cu.ft) › net freezer capacity 17 litres (0.6 cu.ft) › 24hr freezing capacity 2 Kg › climate class N › energy efficiency class A › automatic defrosting › glass shelves › reversible door › **housing dimensions** › height mm 1225 ÷ 1227 › width mm 560 › depth mm 550



FULLY INTEGRATED FRIDGE / REFRIGERATION

CBL150/1AG
BUILT-IN LARDER FRIDGE

Total gross capacity 140 litres (4.9 cu.ft) › net refrigerator capacity 128 litres (4.5 cu.ft) › climate class N › energy efficiency class A › automatic defrosting › glass shelves › reversible door › **housing dimensions** › height mm 874 ÷ 878 › width mm 560 › depth mm 550



FULLY INTEGRATED FREEZER / REFRIGERATION

CIF 130/1
BUILT-IN FREEZER

Freezer rating. **** › total gross capacity 109 litres (3.9 cu.ft) › net freezer capacity 99 litres (3.5 cu.ft) › 24 hr freezing capacity 10.5 Kg › climate class N › energy efficiency class A › manual defrosting › reversible door › on/off - green light › fast freeze - yellow light › freezer warning - red light › **housing dimensions** › height mm 875 ÷ 878 › width mm 560 › depth mm 550



FULLY INTEGRATED FRIDGE / REFRIGERATION

CRU 164/1 AK
BUILT-UNDER REFRIGERATOR

Freezer rating. **** › total gross capacity 128 litres (4.5 cu.ft) › net refrigerator capacity 111 litres (3.9 cu.ft) › net freezer capacity 17 litres (0.6 cu.ft) › climate class N › energy efficiency class A › glass shelves › automatic fridge defrosting › reversible door › 24hr freezing capacity 2Kg › **housing dimensions** › height mm 820÷870 › width mm 600 › depth mm 550



FULLY INTEGRATED LARDER FRIDGE / REFRIGERATION

CRU 160/1 AK
BUILT-UNDER LARDER FRIDGE

Total gross capacity 147 litres (5.2 cu.ft) › net refrigerator capacity 140 litres (4.9 cu.ft) › climate class SN › energy efficiency class A › automatic defrosting › reversible door › **housing dimensions** › height mm 820÷870 › width mm 600 › depth mm 550



FULLY INTEGRATED FREEZER / REFRIGERATION

CFU 130/2AK
BUILT-UNDER FREEZER

Freezer rating. **** › total gross capacity 120 litres (4.2 cu.ft) › net freezer capacity 105 litres (3.6 cu.ft) › 24 hr freezing capacity 5 Kg › climate class SN › energy efficiency class A › reversible door › manual defrosting › on/off - green light › fast freeze - yellow light › freezer warning - red light › **housing dimensions** › height mm 820÷870 › width mm 600 › depth mm 550



WINE COOLERS / REFRIGERATION

CCVB 110T
BUILT-IN WINE COOLER

60cm wide › total capacity 110 litres › stores 24 bottles › 8 wooden shelves › blue LED light › adjustable temperature control 4-18 C



CCVB 120
BUILT-IN WINE COOLER

60cm wide › total capacity 120 litres › stores 35 bottles › LED display › 4 telescopic wooden shelves › blue LED light › adjustable temperature control 4 - 18°C



CCVB 60UK
BUILT-IN WINE COOLER

30cm wide › total capacity 57 litres › stores 12 bottles › 4 wooden shelves › LED display › light › adjustable temperature control 4 - 18°C › front vent › adjustable feet



CCVB 25T UK
BUILT-IN WINE COOLER

15cm wide › Total gross capacity 20 litres › stores 7 bottles › LED display with light › adjustable temperature control from 8 - 22°C transparent glass door › front vent



TECHNICAL SPECIFICATIONS / REFRIGERATION

	REFRIGERATION									
Model	**CXS7204**	**CFBC 3150**	**CFBF 3050**	**CFBC 3050**	**CI0225/1A**	**CBL150/1AG**	**CIF130/1**	**CRU 164/1AK**	**CRU160/1AK**	**CFU130/2AK**
Product description	Side by Side Fridge Freezer	Fridge freezer Fridge Freezer	Frost Free	Fridge freezer Refrigerator	Built-in	Built-in Larder	Built-in Freezer Refrigerator	Built-under Larder	Built-under Freezer	Built-under Freezer rating
		****	****	****	****		****	****		****
Main characteristics										
Rapid freeze indicator light	-	-	-	-		-	-	•	-	-•
Adjustable thermostat	•	•	•	•	•	•	•	•	•	-
Door shelves		4	3	3	3	3	-	2	2	-
Crisper	3	1	1	1	2	2	-	1	1	-
Glass shelves	4/3	4	4	4	4	3	-	1	2	-
Freezer Drawers	2	-	4	4	-	-	-	-	-	3
Reversible doors	•	•	•	•	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1	1	1	1
Technical Data										
Total gross capacity (l)	-	281	255	263	195	140	109	128	147	120
Net refrigerator capacity (l)	348	203	156	156	175	128	-	111	140	-
Net freezer capacity (l)	210	60	78	86	17	-	99	-	-	102
24 hr freezing capacity (kg)	10	4	3	3	2	-	10.5	2	-	5
Climatic class (1)	N/ST	N/ST	N	N	N	N	N	N	SN	SN
Manual defrosting	-	•	-	•	•	-	•	•	-	•
Frost free	•	-	•	-	-	-	-	-	-	
Rising time (h)	10	15	12.5	16	11.6	-	13.6	10	-	17
Annual consumption (kWh) (2)	551	266	317	310	252	150	208	230	153	215
Energy efficiency class (3)	A	A	A	A	A	A	A	A	A	A
Noise level dB (A) (re 1 pw)	47	42	42	40	40	40	39	40	40	41
Appliance category (4)		7			7	1	8	7	1	8
Width of cavity (mm)	892	560	560	560	560	560	560	600	600	600
Min. depth of cavity (mm)	736	550	550	550	550	550	550	550	550	550
Height of cavity (mm)	1757	1772÷1776	1772-1776	1772-1776	1225÷1227	874÷878	875÷895	820÷870	820÷870	820÷870

TECHNICAL SPECIFICATIONS / HOODS

	HOODS															
Model	**CIDT 61**	**CIDC 61**	**CDT 61**	**CDC 61**	**CMB 90**	**CMB 60**	**CVM 95**	**CRD 93**	**CCR 616**	**CCT 97**	**CCT 67**	**CGM 91**	**CGM 61**	**CBG 61**	**CBP 612**	**CFT 610**
Type	Island Tube	Island Cube	Tube	Cube	Décor	Décor	Décor	Round Décor	Round Décor	Chimney	Chimney	Décor	Décor	Canopy	Integrated	Standard
Colour	X	X	X	X	X	X	X	X	X	X	W/N/X	X	X	W/N/X	W/N/GR	W/N/S
Motors (watts)	250	250	250	250	150	150	230	230	150	230	230	150	150	100	100	120
Max air flow m^3/h	740	740	550	740	370	370	550	550	450	550	550	450	450	180	240	240
Lights	2x20w Halogen	4x20w Halogen	2x20w Halogen	2x20w Halogen	2x40w Halogen	2x40w Halogen	2x20w Halogen	2x20w Halogen	2x20w	2x20w Halogen	2x20w Halogen	2x20w Halogen	2x20w Halogen	2x40	2x40	2x20
Push button controls	-	-	-	X	X	X	X	X	-	-	-	X	X	-	X	X
Touch controls	X	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-
Slider control	-	-	-	-	-	-	-	-	X	X	X	-	-	X	-	-
Speeds	4	4	4	3	3	3	3	3	3	3	2	3	3	3	3	3
Washable metal grease filter	1	1			3	3	1	2	2	3	2	1	1	-	-	1
Charcoal filters	-	-	Opt	Opt	2	2	2	2	2	2	2	-	-	2	2	-
Air outlet diameter mm.	150	150	150	150	150	150	150	150	150	150	150	150	150	150	123	123
Width cm.	40	70	40	60	90	60	90	90	60	90	60	90	60	60	60	60

	SPLASHBACK
Model	**PM60X**
Height cm	65
Width cm	60
Depth cm	10

TECHNICAL SPECIFICATIONS / OVENS

	OVENS								
Model	**FVH 929XL**	**FVP 729**	**FVP 702/1**	**FIR 715**	**FFN 403**	**FPP 678/1X**	**FPP 629XL**	**FPP 609**	**FPP407/1**
Product description	Multi-function Usee	Multi-function Usee	Multi-function Usee	Multi-function	Fan	Multi-function Pyrolytic	Multi-function	Multi-function	Fan
Finish	X	X	X	X	X	X	X	X	W/N/X
Main characteristics									
Programme selector	Electronic programmer	Electronic programmer	Electronic programmer	Electronic programmer	End of cooking	Electronic programmer	Electronic programmer	Electronic programmer	Electronic programmer
24 hour clock	•	•	•	•	-	•	•	•	•
Number of glass door panels	2	2	2	2	2	4	2	2	2
Grill	•	•	•	•	•	•	•	•	•
Thermostat	•	•	•	•	•	•	•	•	•
Shelves	2	2	2	1	2	2	2	2	2
Roasting tray	1	1	1	2	1	1	1	1	1
Self-cleaning panels	Opt.	Opt.	Opt.	Opt	Opt.	-	Opt	Opt	Opt
Pyrolytic oven cleaning	-	-	-	-	-	•	-	-	-
Technical data									
Volume (Litres)	53	53	53	53	53	53	53	53	53
Maximum temperature °C	245	245	245	245	245	280	245	245	245
Energy consumption static function (kWh)	0.79	0.78	0.78	0.78	0.78	0.78	0.79	0.78	-
Energy consumption fan convection(kWh)	0.71	0.71	0.71	0.71	0.71	0.71	0.78	0.71	0.71
Maximum absorbed power (kW)	2.1	2.1	2.1	2.2	2.1	2.8	2.1	2.1	2.1
Width of cavity mm	560	560	560	560	560	560	560	560	560
Height of cavity mm	580	580	580	580	580	580	580	580	580
Energy Classification	A-20	A	A	A	A	A	A	A	A-10

	OVENS								
Model	**FPP 403/1**	**FCL 614/1**	**FST 201/1**	**FDP 299/2**	**FDP 232/2**	**TCP 22/2**	**OVG 505/2**	**MIC 440 TX**	**MIC 20GDFX**
Product description	Fan	Multifunction	Static Double oven	Multifunction Double oven	Fan Double oven	Fan	Gas plus grill	Microwave plus grill	Microwave
Finish	W/N/X	GH	W/N/X	X/NX	X	X	W/N/X	X	X
Main characteristics									
Main oven									
Programme selector	End of Cooking		Minute Minder	Electronic programmer	Electronic programmer	Electronic programmer	Timer	Electronic	Electronic
Power levels	-	-	-	-	-	-	-	5	5
24 hour clock	-	-	-	•	•	•		•	•
Number of glass door panels	2	2	2	2	2	2	2	-	-
Grill	•	•	•	•	•	•	•	•	•
Turntable		-	-	-	-	-	-	•	•
Thermostat	-	-	-	-	-	-	-	•	•
Shelves	2	2	2	1	1	1	2	-	-
Roasting tray	1	1	1	1	1	1	1	-	-
Self-cleaning panels	Opt	-	Opt	-	-	-	-	-	-
Second oven	-	-	-	Convection	Convection	Convection	-	-	-
Double glass	-	-	-	•	•	•	-	-	-
Grill	-	-	-	•	•	•	-	-	-
Shelves	-	-	-	1	1	1	-	-	-
Roasting tray	-	-	-	1	1	1	-	-	-
Technical data									
Volume (Litres)	53	53	53	49 + 39	54 + 39	43 + 39	50	44	20
Maximum temperature °C	245	243	245	240/260	230	230	240	220	220
Microwave power rating (W)	-	-	-	-	-	-	-	900	800
Energy consumption static function (kWh)	0.71	0.79	0.79	0.79	0.79	0.79	-	-	-
Energy consumption fan convection(kWh)	-	0.99	-	0.99	0.99	0.97	-	-	-
Maximum absorbed power (kW)	2.1	2.1	2.1	2.4	2.4	3.7	2.4	3.35	1.25
Width of cavity mm	560	560	560	554-564	554-564	554-564	560	560	560
Height of cavity mm	580	580	580	875-878	875-878	705-708	580	460	360
Energy Classification	A-10	A	A	B/A	B/A	B/A	-	-	-

TECHNICAL SPECIFICATIONS / HOBS

	GAS HOBS													
Model	**CPG 75 SQGX**	**CPG 75 SQPX**	**PG750 SXX**	**CPG 74 SQGX**	**PGF750/ 1SQX**	**PGF 640/1S**	**PV 750SX**	**CPGC 64 SQPGH**	**PG640/ 1SXX**	**CPG 64 SXX**	**CPG 64 SP**	**PV 640SN**	**CLG 64 SGX**	**CLG 64 SP**
Product description	5 Gas	5 Gas	5 Gas	4 Gas	5 Gas	4 Gas	5 Gas	4 Gas	4 Gas	4 Gas	4 Gas	4 Gas	4 Gas	4 Gas
	75cm	75cm	75cm	75cm	75cm	60cm	75cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm
Finish	X	X	X	X	X	X	X	GH	X	X	B/N/X	X	X	B/N/X
Main characteristics														
Quadruple ring burners	1	1	-	1	1	-	1	1		-	-	-	-	-
Ultra Rapid burner	-	-	1	-	-	1	-	-	1	1	1	-	-	-
Rapid burner	2	2	2	1	2	1	2	1	1	1	1	2	1	1
Semi-Rapid burner	1	1	1	1	1	1	2	1	1	1	1	2	2	2
Auxiliary burner	1	1	1	1	1	1	-	1	1	1	1	-	1	1
One touch ignition	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flame failure device	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cast iron pan supports	•	-	-	•	•	•	-	•		-	-	-	•	-
Stainless steel pan supports	-	-	•	-	-	-	-	-	•	•	-	-		
Enamel pan supports	-	•	-	-	-	-	•	-		-	•	•	-	•
Technical data														
Power developed burners (kW)	11.75	11.75	11.25	9.25	11.25	8.55	12	9.2	8.55	8.75	8.75	8.5	7.1	7.1
Quadruple burners (kW)	1x4	1x4	1x3.5	1x4	1x3.5	-	1x3.5	1x4		1x3.5	1x3.5	-	-	-
Ultra rapid burner (kW)	-	-	-	-	-	1x3.3	-	-	1x3.3	-	-	-	-	-
Rapid burners (kW)	2x2.5	2x2.5	2x2.5	1x2.5	2x2.5	1x2.5	2x2.5	1x2.5	1x2.5	1x2.5	1x2.5	2x2.5	1x2.7	1x2.7
Semi-Rapid burners (kW)	1x1.75	1x1.75	1x1.75	1x1.75	1x1.75	1x1.75	2x1.75	1x1.7	1x1.75	1x1.75	1x1.75	2x1.75	2x1.7	2x1.7
Auxiliary burners (kW)	1x1	1x1	1x1	1x1	1x1	1x1	-	1x1	1x1	1x1	1x1	-	1x1	1x1
Width of cavity (mm)	560	560	560	560	560	560	560	560	560	560	560	560	560	560
Depth of cavity (mm)	480	480	480	480	480	480	480	480	480	480	480	480	480	480
Width of product (mm)	745	745	745	750	745	590	747	590	590	590	590	595	595	595
Depth of product (mm)	510	510	510	510	510	510	512	510	510	510	510	510	510	510
Height of product (mm)	35	35	35	30	30	30	50	35	35	35	35	46	37	37

TECHNICAL SPECIFICATIONS / HOBS

	CERAMIC / INDUCTION / ELECTRIC HOBS					
Model	**PVD 742**	**CH 642**	**CI 640 CBA**	**CI 640 C**	**CH 64M**	**PLE 64**
Product description	75cm Hi-Light Ceramic	60cm Hi-Light Ceramic	60cm Induction	60cm Induction	Hi-Light	Electric
Finish	X/N	X/N	N	N	N/X	W/N/X
Main characteristics						
Cooking zones	4 Hi-Light 1xØ190: 1.8kW 1xØ155x190: 1.8kW 1xØ180x275: 0.9+1.5kW 1xØ155: 1.2kW	4 Hi-Light 1x155:1.2kW 1x130x220:0.75+1.45kW 2x190:1.8kW	4 Induction 1x 210:2.0-2.6kW 1x 180:2.0kW 2x 180:1.4kW	4 Induction 1x 210:2.0kW 1x 180:2.0kW 2x 180:1.4kW	4 Hi-Light 2x155:1.2kW 1x220:2.3kW 1x190:1.9kW	4 Hotplates
Hotplates						2xØ180:2.0kW 2xØ145: 1.5kW
Digital touch controls	•	•	•	•	-	
End of cooking timer	•	•	•	•	•	-
Hot hob warning lights	•	•	•	•	•	-
Installed electrical power (kW)	7.6	7.0	3.0		6.5	7.0
Width of cavity (mm)	560	560	560	560	560	560
Depth of cavity (mm)	490	490	490	490	490	480
Width of product (mm)	745/747	590	590	590	590	585
Depth of product (mm)	510/512	520	520	520	520	500
Height of product (mm)	50	50	50	50	50	30

TECHNICAL SPECIFICATIONS / DOMINO HOBS

	DOMINO HOBS								
Model	**CDG 31 SPX**	**CDG 32 SPX**	**CDI 32 B**	**CDH 32 X**	**CDH 32 C**	**CDE 32 X**	**CDVG 30 X**	**CDB 30 X**	**CDF 30X**
Product Description	Gas Hob	Gas Hob	Induction Hob	Ceramic Hob	Ceramic Hob	Electric Hob	Griddle	BBQ	Fryer
Finish	X	X	B	X	B	X	X	X	X
Cooking Zones / Burners	1	2	2	2	2	2	1	1	-
Flame Failure	•	•	-	-	-	-	-	-	-
Controls	One touch	One touch	Digital touch control	Knobs	Digital touch control	Knob	Knob	Knob	Knob
Technical data									
Installed electrical power (kW)	-	-	4.4	3	3	3	1.5	2.4	2.3
Power developed burners (kW)	3.8	4	-	-	-	-	-	-	-
Width of cavity (mm)	270	270	270	270	270	270	270	270	270
Depth of cavity (mm)	490	490	490	490	490	490	490	490	490
Width of product (mm)	290	290	286	290	286	290	290	290	290
Depth of product (mm)	510	510	506	510	506	510	510	510	510
Height of product (mm)	40	40	42	40	42	40	42	40	145

TECHNICAL SPECIFICATIONS / LAUNDRY

	LAUNDRY								
Model	**CDB 754D/1**	**CWB 714D**	**CDB 264**	**CWB 1206**	**Technical data**	**CDB 754D/1**	**CWB 714D**	**CDB 264**	**CWB 1206**
Product description	Washer dryer	Washing machine	Washer dryer	Washing machine	Energy efficiency class	A	A+	B	A+
					Energy consumption wash only kWh	1.19	-	1.14	1.02
Main characteristics					Energy consumption wash-				
Washing capacity (kg)	7	7	6	6	-& dry full load kWh	5.65	-	5.11	-
Drying capacity (kg)	5		4		Wash efficiency class	A	A	A	A
Washing/drying programmes	14/3	13	18/3	15	Spin efficiency class	A	A	B	B
Rapid programme	14/30/44	14/30/44	32	32	Water consumption standard-				
Spin speed (r.p.m.)	1400	1400	1200	1200	60°C cycle litres	103***	56	150***	49
Stainless Steel drum	•	•	•	•	according to regulations				
Fuzzy logic	•	•	•	•	Voltage V	230	230	230	230
Internal steam condensing	•	-	•	-	Max absorbed power kW	5.55	2.15	5.55	2.15
Automatic variable capacity	•	•	•	•	Fuse rating A	13	13	13	13
Variable spin speed	•	•	•	•	Height mm	820	820	820	820
Drying time selector	•		•		Width mm	596	596	596	596
Independent temperature regulator	•	•	•	•	Depth mm	541	541	541	541
Stain blaster button	•	•	-	-	Width of cavity mm	600	600	600	600
Allergy care button	•	•	•	•	Depth of cavity mm	570	570	570	570
Super rapid button	-	-	•	•	Height of cavity mm	825	825	825	825
Super rinse button	-	-	•	•					
High dry button	•	-	•	-					
Cold fill only	•	•	•	•					
Adjustable feet	•	•	•	•					

* relates to dry laundry
** annual estimated consumption for 200 washing cycles (4 people)
*** washing and drying cycle

TECHNICAL SPECIFICATIONS / DISHWASHERS

	DISHWASHERS									
Model	**CDI 3530**	**CDI 22E10/3**	**CDI 1012/3**	**CDS 420**	**CDI 4545**	**Technical data**	**CDI 3530**	**CDI 22E10/3**	**CDI 1012/3**	**CDS 420**	**CDI 4545**
Finish	W	W	W	X/N/W	W	N° of IEC place settings	14	12	12	12	9
Main characteristics						N° of programmes	5	5	5	5	7
Adjustable upper basket	•	•	•	•	•	Wash temperatures	75/60/	75/65/	75/65	75/70	70/55/
AISI 304 stainless steel interior	•	•	•	•	•		50/45	50/45	50/45	65/50/45	50/45
Double anti-overflow device	-	-	•	-	•	Water consumption	13	10	13	13	13
Anti flood device	-	-	-	-	•	(litres - IEC)					
Start delay	3/6/9	•	-	-	•	Energy consumption	1.1	1,05	1,05	1,05	0.8
Self-cleaning stainless						(kW/h IEC)					
steel microfilter	•	•	•	•	•	Noise power					
Rapid programme (mins)	32	32	32	32	32	dB (A) (re 1 pw)	50	52	51	52	52
Half load button	•	•	-	•	-	Energy efficiency class	A	A	A	A	A
Delicate button	-	-	-	-	•	Wash efficiency class	A	A	A	A	A
Economy button	•	-	-	-	•	Drying efficiency class	A	A	A	A	A
Salt consumption light	•	•	-	•	•	Width of cavity (mm)	600	600	600	600	450
Balanced door	•	•	•	•	•	Depth of cavity (mm)	570	570	570	570	600
Height adjustable feet	•	•	•	•	•	Height of cavity (mm)	820÷885	820÷885	820÷885	820÷885	820÷885